

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Petroleum ether 60-90

Manufacturer/supplier identification

Company: Guangdong Guanghua Sci-Tech Co.,Ltd

Address: No.295 Daxue Road,Shantou

PostCode:515000

E-mail: export@ghotech.com

Emergency telephone No.: +86-754-82515813.

Fax No.: +86-754-88221999

2. Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Flammable liquids (Category 2)

Skin irritation (Category 2)

Germ cell mutagenicity (Category 1B)

Reproductive Toxicology (Category 2)

Specific target organ toxicity - single exposure (Category 3), Central nervous system

Specific target organ toxicity - repeated exposure (Category 2)

Aspiration hazard (Category 1)

Acute aquatic toxicity (Category 2)

Chronic aquatic toxicity (Category 2)

Label elements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H340 May cause genetic defects

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P203 Obtain, read and follow all safety instructions before use.

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

GHTECH

Material Safety Data Sheet

P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P316	If swallowed by mistake: Seek immediate medical attention.
P303+P361+P364+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. And wash it before reuse. Rinse SKIN with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P318	If you are exposed or have concerns, seek medical attention.
P319	If you feel unwell, please seek medical attention.
P321	Specific treatment (see on this label).
P331	Do NOT induce vomiting.
P332+P317	If skin irritation occurs: Seek medical attention.
P370+P380	In case of fire: Evacuate area.
P391	Collect spillage.
P403+P233+P235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

Supplemental Hazard Statements
none

3. Composition/information on ingredients

Synonyms
Petroleum ether 60-90
CAS-No.: 8032-32-4

4. First aid measures

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. Fire-fighting measures

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

6. Accidental release measures

Personal precautions

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive

concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. Exposure controls and personal protection

Appropriate engineering controls

General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

9. Physical and chemical properties

Form: clear liquid

Colour: colorless

Odour: not available

pH value: not available

Melting point: <-100°C

Boiling point: 60~90°C

Ignition temperature: not available

Flash point: -40°C

Autoignition temperature: not available

Explosion limits

lower: 1 %(V)

upper: 9 %(V)

Density : 0.68 g/cm³

Bulk density:2.9 g/cm³

Solubility in

water (20 °C) : insoluble in water

diluted acids (20 °C) : not available

Thermal decomposition: not available

10. Stability and reactivity

Chemical stability

Stable under recommended storage conditions.

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

Strong oxidizing agents

Hazardous decomposition products

Other decomposition products - no data available

11. Toxicological information

Acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

12. Ecological information

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

13. Disposal considerations**Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. Transport information**ADR/RID**

UN-Number: 1268 Class: 3 Packing group: II

Proper shipping name: PETROLEUM DISTILLATES, N.O.S. (Petroleum ether)

IMDG

UN-Number: 1268 Class: 3 Packing group: II

Proper shipping name: PETROLEUM DISTILLATES, N.O.S. (Petroleum ether)

Marine pollutant: yes

IATA

UN-Number: 1268 Class: 3 Packing group: II

Proper shipping name: Petroleum distillates, n.o.s. (Petroleum ether)

15. Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

16. Other information

General update.

Regional representation:

This information is given on the authorised Safety Data Sheet for your country.